

Vehicle-mount Tablet VPC Series

EM-VPC80J/EM-VPC10J/EM-VPC80X/EM-VPC10X

Tablet Pictures (With all rod antennas, power supply)



Tablet standard spec:

Intel Celeron N5100 Processor or MT6789 Processor, 4GB RAM, 64GB ROM, GPS Chip and antenna, WIFI Chip and antenna, a Power adapter cable(8pin to DC 5.5MM), no built-in battery

OS: Win10, can be preinstalled with Linux Ubuntu 20.04 before shipment

Android 12, 4G Chip and Antenna are standard for Android



Optional Functions and accessories



- Windows: 4G LTE Module and Built-in antenna, need to be added before the shipment**
Android: Standard



2. Port 1: Ethernet port and cable, need to be added before the shipment (12pin to RJ45 function cable)



3. Port 2: Serial Port and cable, need to be added before the shipment. 2 options: 1) RS232 x 2, 2) RS232 x 1, RS485 x 1



4. Port 3: USB or CAN port and cable, need to be added before the shipment. Two options: a. USB2.0 x 3, b. USB2.0 x 2, CAN x 1



5. Port 4: Functional adapter cable(12Pin to 12 loose wires, 1.2meter), need to be added before the shipment.



6. Battery (1000mAh/7.4V, battery life around 30minutes, used for short-time portable usage), need to be added before the shipment, inside of the tablet, not swappable from outside



7. Power supply. There are 4 ways

a. Power adapter cable + Cigarette lighter car charger, connected to vehicles directly(only available for vehicles with cigarette lighter)



b. Power adapter cable(8Pin to 4 loose wires) directly connect to vehicles power, this requests vehicles to provide stable power within 19V



c. Power adapter cable(8pin to 4 loose wires) + wide voltage module(9-36V input, 12V output, or 24-60V input, 19V output)



d. For in-office setting use or indoor use, an AC-DC power adapter is optional, 19V/3.42A, EU/US/UK standard available



8. Vehicle-mount bracket kits



Different matches of bracket kits:



After installation pictures(On forklift)



